

EXISTING DETAIL

SCALE 1½" = 1'-0" (1:8)


INSTALL 12" WIDE PLYWOOD OR FIBRE-BOARD INSULATION STOPPERS AT BOTTOM OF THE TOP CHORD AND BETWEEN ALL TRUSSES
CUT & REMOVE 610 ± (2'-0" ±) OF EXISTING PLYWOOD AND INSTALL 13 (½") NEW F.R. PLYWOOD WITH H CLIPS BETWEEN TRUSSES
FOR NEW ROOFING FOLLOW MANUFACTURERS SPECIFICATION
610 (2'-0") NEW PLYWOOD
EXISTING INSULATION
END OF TRUSS
NEW OUTRIGGER
EXISTING SOFFIT FASCIA & EAVE-TROUGH TO BE RE-INSTALLED AND REPLACE WHERE DAMAGED.
NEW VENTS

NEW DETAIL

SCALE - 1½"=1'-0" (1:18)

ONTARIO HOUSING CORPORATION

MAINTENANCE ENGINEERING BRANCH 101 BLOOR STREET WEST TORONTO M7A 2P9 ONTARIO

Title: EAVES REPAIR-RE-ROOFING & ATTIC VENTILATION

Project Address: DENNE CRES, PETERBOROUGH

Scale	Checked By	Project #	Drawing #
AS SHOWN	GAP	OH-2	78-565-1
Drawn By: JCP	Date: OCT/78		

W3665-R01